PATENT COOPERATION TREATY

REC'D	0.9	JAN	2006

PCT

WIPO

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference		t's file reference	FOR FURTHER ACT	ION	See Form PCT/IPEA/416
066744-0053 International		ation No.	International filing date (da	ay/month/year)	Priority date (day/month/year)
PCT/US04/2			09 August 2004 (09.08.200	04)	08 August 2003 (08.08.2003)
International	l Patent	Classification (IPC)	or national classification and		
IPC(7): A61	B 19/0	0 and US Cl.: 606/13	30		
Applicant					j
		INCORPORATED			
I	1. This report is the international preliminary examination report, established by this International Preliminary Examining Authority under Article 35 and transmitted to the applicant according to Article 36.				
2.	This R	EPORT consists o	f a total of $\overset{\frown}{\mathcal{D}}$ sheets, inclu	ding this cover sheet	
3.	This re	port is also accom	panied by ANNEXES, com	prising:	
8	a. 🔀	(sent to the applic	ant and to the Internationa	<i>l Bureau)</i> a total of _	sheets, as follows:
	sheets of the description, claims and/or drawings which have been amended and are the basis of this report and/or sheets containing rectifications authorized by this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions).				
	sheets which supersede earlier sheets, but which this Authority considers contain an amendment that goes beyond the disclosure in the international application as filed, as indicated in item 4 of Box No. I and the Supplemental Box.				
1	ь. 🔲	(sent to the Inte	rnational Bureau only) a to	tal of (indicate type a	and number of electronic carrier(s))
, containing a sequence listing and/or tables related thereto, in electronic form only, as indicated in the Supplemental Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).					
4.	This re	port contains indic	cations relating to the follow	ving items:	
	\boxtimes	_	Basis of the report		
		Box No. II	Priority		
	Box No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability		elty, inventive step and industrial		
			Lack of unity of invention		
	\boxtimes	Box No. V	Reasoned statement under	Article 35(2) with	regard to novelty, inventive step or supporting such statement
			Certain documents cited	and dispression	
			Certain defects in the intern	ational application	
	Box No. VIII Certain observations on the international application				
Date of submission of the demand		Date of completion of this report			
08 March 2005 (08.03.2005)		12 December 2005 (12.12.2005)			
Name and n	nailing	address of the IPEA	US	Authorized officer For Sarah K. Webb Oughua July Telephone No. (703) 308-0858	
Mail Stop PCT, Attn: IPEA/US Commissioner for Patents		Sarah K. Webb /	Juanua V.V.		
P.O. Box 1450 Alexandria, Virginia 22313-1450			,		nigouice en g
Facsimile No. (571) 273-3201				Telephone No. (703)	308-0838

Form PCT/IPEA/409 (cover sheet)(April 2005)

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No.	
PCT/LIS04/25807	•

Во	x No.	I Ba	asis of the report	
1.	With:	regard	d to the language, this report is based on:	
			nternational application in the language in which it was filed.	
			aslation of the international application into $\underline{\text{English}}$, which is the language of a translation furnoses of:	nished for the
			international search (under Rules 12.3 and 23.1(b))	•
			publication of the international application (under Rule 12.4(a))	
			international preliminary examination (under Rules 55.2(a) and/or 55.3(a))	
2.	to the annex	egard to receivi	to the elements of the international application, this report is based on <i>(replacement sheets which have wing Office in response to an invitation under Article 14 are referred to in this report as "originally filed this report):</i>	been furnished d" and are not
	_		nternational application as originally filed/furnished	
	-	pages pages	lescription: s 1-17 as originally filed/furnished s* NONE received by this Authority on s* NONE received by this Authority on	
	\boxtimes	pages' pages' pages	claims: as NONE as originally filed/furnished as amended (together with any statement) under Article 19 as * 18 and 18.3 received by this Authority on 27 September 2005 as * NONE received by this Authority on	
		pages pages pages	drawings: es 1-12 as originally filed/furnished es* NONE received by this Authority on receive	
		a sequ	quence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing.	
3.	\boxtimes	The a	amendments have resulted in the cancellation of:	
			the description, pages	
		\bowtie	the claims, Nos. 1	
			the drawings, sheets/figs	
		님	the sequence listing (specify): any table(s) related to the sequence listing (specify):	
4.		This re	report has been established as if (some of) the amendments annexed to this report and listed below had not be they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (R	ot been made, ule 70.2(c)).
			the description, pages	
			the claims, Nos.	
			the drawings, sheets/figs	
			the sequence listing (specify):	
			any table(s) related to the sequence listing (specify):	•
*	If iten	n 4 apr	oplies, some or all of those sheets may be marked "superseded."	

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/US04/25807

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement		
1. Statement		
Novelty (N)	Claims 2-21	YES
,	Claims NONE	
Inventive Step (IS)	Claims 2-21	YES
mrenave step (15)	Claims NONE	
To be added Associated (TA)	Claims 2-21	YES
Industrial Applicability (IA)	Claims NONE	
positioning device that has a pivot point at one end o first and second ranges of motion. Claims 2-21 meet the criteria set out in PCT Article 3 be made or used in industry.		
be made or used in industry.		
		,

- 1. (Cancel)
- 2. An upper body positioning device connectable to a couch of a radiation therapy treatment system, the upper body positioning device comprising:
 - a frame;
- a projection extending from one end of the frame, the projection defining a pivot point;
- a first assembly connectable to a second end of the frame, the first assembly operable to provide a first range of motion of the frame relative to the couch about the pivot point; and a second assembly connectable to the first assembly, the second assembly operable to provide a second range of motion of the frame relative to the couch about the pivot point.
- 3. The upper body positioning device of claim 2 wherein the projection is generally spherical-shaped.
- 4. The upper body positioning device of claim 2 wherein the projection is generally semi-spherical-shaped.
- 5. The upper body positioning device of claim 2 wherein the first range of motion comprises one of a pitch rotation, a roll rotation, and a yaw rotation and the second range of motion comprises one of a pitch rotation, a roll rotation, and a yaw rotation.
- 6. The upper body positioning device of claim 2 wherein the first range of motion is different than the second range of motion.
- 7. The upper body positioning device of claim 2 wherein the first assembly comprises a track and a carriage connected to the frame, the carriage adapted to move along the track.

- 8. The upper body positioning device of claim 7 wherein the track is oriented in a generally vertical plane, the track being arcuately-shaped, the first assembly providing a pitch movement of the frame relative to the couch as the carriage moves along the arcuately-shaped track in a generally vertical direction.
- 9. The upper body positioning device of claim 2 wherein the second assembly comprises a track and a carriage adapted to move along the track.
- 10. The upper body positioning device of claim 9 wherein the track is oriented in a generally horizontal plane, the track being arcuately-shaped, the second assembly providing yaw movement of the frame relative to the couch as the carriage moves along the arcuately-shaped track in a generally horizontal direction.
- 11. The upper body positioning device of claim 2 further comprising a third assembly connectable to the second end of the frame, the third assembly operable to provide a third range of motion of the frame relative to the couch about the pivot point.
- 12. The upper body positioning device of claim 11 wherein the third range of motion comprises one of a pitch rotation, a roll rotation, and a yaw rotation.
- 13. The upper body positioning device of claim 11 wherein the third range of motion is different than the first range of motion.

14. The upper body positioning device of claim 11 wherein the second assembly comprises a track and a carriage adapted to move in a generally horizontal direction along the track, and wherein the third assembly comprises a shaft having a first end connectable to the frame and a second end connectable to carriage of the second assembly, the second end of the shaft adapted to be pivotable with respect to the carriage of the second assembly.



- 15. The upper body positioning device of claim 14 wherein the third assembly provides roll movement of the frame relative to the couch as the second end of the shaft pivots with respect to the carriage of the second assembly.
- 16. A positioning device comprising:
 - a frame adapted to support a body part, the frame having a first axis;
 - a first assembly adapted to move the body part about the first axis;
- a second assembly adapted to move the body part about a second axis oriented perpendicular with respect to the first axis; and
- a third assembly adapted to move the body part about a third axis oriented perpendicular with respect to the first axis and the second axis.
- 17. The positioning device of claim 16 wherein the first axis, the second axis, and the third axis intersect at a common point.
- 18. The positioning device of claim 16 further comprising a component extending from one end of the frame, the component defining a pivot point, and wherein the first assembly is operable to provide pitch movement of the body part about the pivot point, and wherein the second assembly is operable to provide yaw movement of the body part about the pivot point, and wherein the third assembly is operable to provide roll movement of the body part about the pivot point.
- 19. A positioning device connectable to a couch of a radiation therapy treatment system, the positioning device comprising:
 - a frame; and
- a component extending from the frame, the component defining a pivot point, the component adapted to provide nearly simultaneously pitch movement, yaw movement, and roll movement of the frame relative to the couch about the pivot point.

- 20. The positioning device of claim 19 further comprising a first assembly connectable to the frame and adapted to provide the pitch movement of the frame relative to the couch about the pivot point, and further comprising a second assembly connectable to the first assembly and adapted to provide the yaw movement of the frame relative to the couch about the pivot point, and further comprising a third assembly connectable to the first assembly and the second assembly and adapted to provide the roll movement of the frame relative to the couch about the pivot point.
- 21. The positioning device of claim 19 wherein the component is generally spherical-shaped.

T:\clienta\013869\9006\A1314487.1